



# INDEX MAPS.

## T. 6N, R. 5E. 2<sup>nd</sup> Mer.



## T. 7N, R. 5E. 2<sup>nd</sup> Mer.



The figures on the lines refer to the page.

423

Township N. 7 North, Range N. 5 E, 2. Mer. Indiana

### South Boundary

East On Rand<sup>m</sup>. S. boundary of Sec. 31

40.00 Set tempy. q<sup>r</sup>. Sec. post

58.09 a Creek 75 lks. wide Course S.

80.00 Set tempy. post Cor. to Sec. 31 & 32

Over level wet land, timber Beech, Gum,  
Elm &c. rich Soil.

---

East On Rand<sup>m</sup>. S. boundary of Sec. 32

40.00 Set tempy. q<sup>r</sup>. Sec. post

80.00 Set tempy. post Cor. to Sec. 32 & 33

Sand timber &c. Same as on the last mile

---

East On Rand<sup>m</sup>. S. boundary of Sec. 33

40.00 Set tempy. q<sup>r</sup>. Sec. post

80.00 Set tempy. post Cor. to Sec. 33 & 34

Over level land, timber Beech, Sugar, Poplar  
&c. Spruce &c. rich Soil

---

East On Rand<sup>m</sup>. S. boundary of Sec. 34

40.00 Set tempy. q<sup>r</sup>. Sec. post

80.00 Set tempy. post Cor. to Sec. 34 & 35

Sand timber &c. Same as on the last mile

---

East On Rand<sup>m</sup>. S. boundary of Sec. 35

40.00 Set tempy. q<sup>r</sup>. Sec. post

80.00 Set tempy. post Cor. to Sec. 35 & 36

Sand timber &c. Same as on the last mile

---

East On Rand<sup>m</sup>. S. boundary of Sec. 36

40.00 Set tempy. q<sup>r</sup>. Sec. post

87.80 Intersected the Range line 790 lks. — of tempy  
post Cor. to T. 6 & 7 N. Range 5 & 6 E.

Ty N R 5 E. 2<sup>nd</sup> Mer. Indiana

This mile over level rich land, timber  
Beech, Sugar, Walnut &c. May 28. 1819

Variation 7° 15' E

West On true line S. boundary of Sec. 36

17.08 a Hackberry 30 in. diam.

40.00 Set of Sec. post, from which

a Beech 18 in. diam. bear N 44° W 4 lks. dist. of

a Do. 10 " " " N 66° E 19 " "

68.71 a Beech 18 in. diam.

80.00 Set post Cor. to Secs. 35 & 36, from which

a Sugar 10 in. diam. bear N 31° W 16 lks. dist. of

a Walnut 20 " " " S 31° E 8 " "

West On true line S. boundary of Sec. 35

21.84 a Beech 15 in. diam.

40.00 Set of Sec. post, from which

a Beech 8 in. diam. bear N 20° W 4 lks. dist. of

a Sugar 12 " " " N 66° W 12 " "

62.00 a Poplar 42 " "

80.00 Set post Cor. to Secs. 34 & 35, from which

a Sugar 15 in. diam. bear N 42° W 8 lks. dist. of

a Do 14 " " " N 76° E 37 " "

West On true line S. boundary of Sec. 34

40.00 Set of Sec. post from which

an horn? 10 in. diam. bear N 45° W 16 lks. dist. of

a Hickory 24 " " " S 47° E 7 " "

65.81 a Beech 18 " "

80.00 Set post Cor. to Secs. 33 & 34, from which

a Beech 12 in. diam. bear S 73° E 36 lks. dist. of

a Do. 10 " " " S 88° W 42 " "

# S. 1/4 Sec 5 E. 2<sup>nd</sup> Mer. Indiana

West On true line S. boundary of Sec. 33  
 32.71 a W. Oak 18 in. dia.  
 40.00 Set of Sec. post, from which  
     a Beech 20 in. dia. bray N 85 E 28 lks. dist. of  
     a Do. 13 " " " S 71 W 19 " "  
 50.70 a Beech 36 " "  
 80.00 Set post Cor. to Sec. 32 & 33, from which  
     a Beech 20 in. dia. bray N 60 E 24 lks. dist. of  
     a Do. 20 " " " S 17 W 19 " "

West On true line S. boundary of Sec. 32  
 40.00 Set of Sec. post, from which  
     a Hickory 15 in. dia. bray N 48 W 14 lks. dist. of  
     a Do. 13 " " " S 71 E 26 " "  
 42.53 a Hickory 24 " "  
 80.00 Set post Cor. to Sec. 31 & 32, from which  
     a Beech 18 in. dia. bray N 35 W 14 lks. dist. of  
     a Gum 24 " " " S 63 W 20 " "

West On true line S. boundary of Sec. 31  
 40.00 Set of Sec. post, from which  
     a Beech 8 in. dia. bray N 67 W 6 lks. dist. of  
     a Maple 12 " " " S 45 E 28 " "  
 87.80 Intersected the Range line at Cor. to Towns  
     6 & 7 N - Range 4 & 5 E.  
 Saturday 29<sup>th</sup> May 1819 James H. McDonald, D.D.

## East Boundary

North On E. boundary of Sec. 36  
 16.49 an Elm 36 in. dia.  
 40.00 Set of Sec. post, from which  
     a Hickory 6 in. dia. bray N 29 E 26 lks. dist. of  
     a Do. 5 " " " S 83 W 26 " "



# Sy N R 5 E, T. 2. Mer. Indiana

80.00 Set post Cor. to Sec. 25 of 36, from which  
 a Beech 15 in. dia. bray N 54° W — lks. dist. of  
 a do. 10 " " " S 34° W — " "  
 Level land Soil rich, timber Sugar, Beech,  
 Ash &c. underg<sup>th</sup> Spruce, pawpaw, Oak &c.

North On E. boundary of Sec. 25

8.00 a run 3 lks. wide Course N. W.

20.50 a Branch 6 lks. " " S. W.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 10 in. dia. bray S 28° W 6 lks. dist. of  
 a do. 10 " " " S 49° E 5 " "

49.27 a Beech 24 " "

60.35 a do. 15 " "

80.00 Set a post Cor. to Sec. 24 & 25, from which  
 a B. A. 18 in. dia. bray S 60° E 4 lks. dist. of  
 a do. 18 " " " S 72° W 25 " "

Over level land Soil good 2<sup>d</sup> rate, timber  
 Beech, Poplar, Ash &c. underg<sup>th</sup> Spruce &c.

May 30<sup>th</sup> 1819

North On E. boundary of Sec. 24

10.50 a Branch 6 lks. wide Course S. E.

35.50 a do. 3 " " " E.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 18 in. dia. bray N 32° W 59 lks. dist.  
 no other tree.

45.00 a Branch 3 lks. wide Course E.

54.00 a do. 3 " " " E.

80.00 Set post Cor. to Sec. 13 of 24, from which  
 a Beech 10 in. dia. bray N 71° E 5 lks. dist. of  
 a do. 6 " " " S 71° W 4 " "  
 Broken brushy land, timber Oak, Beech,

S. N. R. S. E. 2<sup>d</sup>. Mer. Indiana

He. underg<sup>th</sup>. Spice Oak, Ash, Sassafras  
He. 2<sup>d</sup>. rate

North On E. boundary of Sec. 13

4.09 a Poplar 36 in. dia.

40.00 Let q<sup>r</sup>. Sec. post, from which  
a Beech 10 in. dia. bran N 20 E 15 lns. dist. of  
a do. 12 " " " S 9 W 16 " "

50.50 a Beech 20 " "

67.75 a Branch 4 lns. wide Course S. W.

80.00 Let post Cor. to Sec. 12 & 13, from which  
a Beech 12 in. dia. bran N 75 W 5 lns. dist. of  
an Ash 18 " " " S 35 E 21 " "  
Rolling 2<sup>d</sup>. rate land, timber Oak, Beech,  
Hickory He. underg<sup>th</sup>. Sassafras, Oak, Spice &c.

North On E. boundary of Sec. 12

7.00 a Branch 4 lns. wide Course W.

15.00 a do 4 lns. " " S. W.

27.20 a Hickory 18 in. dia.

40.00 Let q<sup>r</sup>. Sec. post, from which  
a Hickory 20 in. dia. bran S 20 E 17 lns. dist. of  
a Beech 30 " " " N 57 W 18 " "

46.58 a Branch 4 lns. wide Cr. S. W.

48.25 a Beech 24 in. dia.

58.00 a Branch 5 lns. wide Course S. W.

80.00 Let post Cor. to Sec. 11 & 12, from which  
a Beech 18 in. dia. bran S 7 E 24 lns. dist. of  
a do. 10 " " " N 46 E 11 " "  
Rolling 2<sup>d</sup>. rate land, timber Beech, Sugar  
He. underg<sup>th</sup>. Spice, Beech &c.

North On E. boundary of Sec. 1.

T<sup>8</sup>N. R5E. 2<sup>d</sup>. Mer. Indiana

- 40.00 Set of Sec. post, from which  
 at Beech 24 m. dist. bear S 79° W 25 lks. dist. of  
 a Run 8 " " " N 9° W 18 " "
- 57.50 a Branch 20 lks. wide Course S. W
- 80.00 Set post Cor. to Township N. 7 & 8 North,  
 Range N. 5 & 6 East, from which  
 at Beech 20 m. dist. bear S 19° W 18 lks. dist. of  
 an Ash 20 " " " N 11° W 17 " "
- Level 2<sup>d</sup>. rate land, timber Beech, Poplar,  
 Ash &c. underg<sup>th</sup> Beech & Dogwood
- 

## North Boundary

- East On Rand<sup>m</sup>. S. boundary of Sec. 31, T<sup>8</sup>N. R5E.
- 40.00 Set temp<sup>y</sup>. of Sec. post
- 59.96 a Branch 10 lks. wide Course S. W
- 80.00 Set temp<sup>y</sup>. post Cor. to Sec. 31 & 32, T<sup>8</sup>N. R5E.  
 This mile Over wet Beech & Hickory land  
 underg<sup>th</sup> Spruce
- 

- East On Rand<sup>m</sup>. S. boundary of Sec. 32, T<sup>8</sup>N. R5E.
- 32.55 a Brook 7 lks. wide Course S. W.
- 40.00 Set temp<sup>y</sup>. of Sec. post
- 68.60 a Brook 4 lks. wide Course S. W
- 80.00 Set temp<sup>y</sup>. Cor. to Sec. 32 & 33, T<sup>8</sup>N. R5E.  
 Land timber &c. same as on the last mile
- 

- East On Rand<sup>m</sup>. S. boundary of Sec. 33, T<sup>8</sup>N. R5E.
- 37.59 a Brook 3 lks. wide Course S. W
- 40.00 Set temp<sup>y</sup>. of Sec. post
- 65.00 a Brook 5 lks. wide Course South
- 80.00 Set temp<sup>y</sup>. Cor. to Sec. 33 & 34, T<sup>8</sup>N. R5E.  
 This mile Over rolling land, timber Beech  
 Poplar &c. underg<sup>th</sup> Spruce &c.



429

Ty N R5 E. 2<sup>d</sup>. Mer. Indiana

East On Rand<sup>m</sup> S. boundary of Sec 34, T8 N. R5 E.  
 38.00 a Brook 4 lks. wide Course S. E.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 80.00 Set temp<sup>y</sup>. Cor. to Sect. 34 & 35, T8 N. R5 E.  
 Over rolling land, timber Beech, Oak,  
 Poplar &c. underg<sup>th</sup> Spruce &c.

---

East On Rand<sup>m</sup> S. boundary of Sec. 35, T8 N. R5 E.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 44.50 a Creek 50 lks. wide Course South  
 80.00 Set temp<sup>y</sup>. Cor. to Sect. 35 & 36, T8 N. R5 E.  
 Over level wet land, timber Sugar, Maple,  
 underg<sup>th</sup> Spruce &c.

---

East On Rand<sup>m</sup> S. boundary of Sec. 36, T8 N. R5 E.  
 35.57 a Brook 5 lks. wide Course S. W.  
 84.25 Intersected the Range line between Ranges  
 5 & 6 E. Town 7 & 8. (description omitted)

---

West On true line S. bdy. 36, T7 & 8 N. R5 E.  
 15.80 a Hickory 15 in. dia.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
     a Beech 12 in. dia. bears N 73 E 20 lks. dist. of  
     a do. 6 " " " N 79 W 14 " "  
 50.04 a Beech 20 " "  
 80.00 Set post Cor. to Sect. 35 & 36, T8 N. R5 E, from which  
     a Beech 8 in. dia. bears S 42 E 29 lks. dist. of  
     a Poplar 10 " " " S 43 W 21 " "

---

West On true line S. boundary of Sec. 35, T8 N. R5 E.  
 21.80 a Poplar 40 in. dia.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
     a Beech 12 in. dia. bears S 59 W 6 lks. dist.



T<sup>8</sup>N. R5E. 2<sup>d</sup>. Mer. Indiana

(no other bearing tree)

50.32 an Oak 36 in. dia.

80.00 At post cor. to Sec. 34 & 35, T<sup>8</sup>N. R5E, from which  
 a Beech 12 in. dia. bear N 37 E 24 lks. dist. of  
 a do. 30 " " " N 80 W 16 " "

West On true line S. boundary of Sec. 34, T<sup>8</sup>N. R5E.  
 9.16 a Beech 18 in. dia.

40.00 At gr. Sec. post, from which  
 a Beech 12 in. dia. bear S 87 E 10 lks. dist. of  
 a do. 16 " " " S 80 W 20 " "

80.00 At post cor. to Sec. 33 & 34, T<sup>8</sup>N. R5E, from which  
 a Beech 30 in. dia. bear N 82 W 14 lks. dist. of  
 a do. 24 " " " East 8 " "

West On true line S. boundary of Sec. 33, T<sup>8</sup>N. R5E.  
 33.65 a Beech 15 in. dia.

40.00 At gr. Sec. post, from which  
 a Beech 36 in. dia. bear N 70 E 11 lks. dist. of  
 a do. 14 " " " N 56 W 11 " "

80.00 At post cor. to Sec. 32 & 33, T<sup>8</sup>N. R5E, from which  
 a Beech 10 in. dia. bear S 82 E 38 lks. dist. of  
 a do. 12 " " " S 77 W 33 " "

West On true line S. boundary of Sec 32. T<sup>8</sup>N. R5E.

40.00 At gr. Sec. post, from which  
 a Beech 14 in. dia. bear N 50 E 4 lks. dist. of  
 a do. 12 " " " N 60 W 16 " "

41.82 a Beech 12 in. dia.

80.00 At post cor. to Sec. 31 & 32, T<sup>8</sup>N. R5E, from which  
 a Beech 14 in. dia. bear N 23 E — lks. dist. of  
 a do. 12 " " " N 88 W 23 " "

T7 N. R5 E. 2<sup>d</sup>. Mer. Indiana

West On true line S. boundary Sec. 31, T8 N. R5 E.  
 40.00 Set of Sec. post, from which  
     a W. Oak 10 in. diam. bran S 21° W 18 lks. dist. of  
     a Do. 12 " " " N 9° E 18 " "  
 82.06 Intersected the Township Corner.

West Boundary var. 6° 30' E  
 North On E. boundary of Sec. 36, T7 N. R4 E.  
 9.55 a Beech 24 in. diam.  
 40.00 Set of Sec. post, from which  
     a Poplar 9 in. diam. bran S 60° W 18 lks. dist. of  
     a Do. 7 " " " N 38½° E 18 " "  
 65.77 a Branch 8 lks. wide corner N.W.  
 69.06 to Same 8 lks. " " S.E.  
 80.00 Set post cor. to Sec. 25 of 36, T7 N. R4 E, from which  
     a W. Oak 30 in. diam. bran S 25° W 13 lks. dist. of  
     an Ironwood 4 " " " N 46° E 16 " "  
 Level land good soil, timber Beech & Oak  
 under the Pine & Grasses

North On E. boundary of Sec. 25, T7 N. R4 E  
 7.57 a W. Oak 18 in. diam.  
 30.03 a Hickory 15 " "  
 40.00 Set of Sec. post, from which  
     a Beech 12 in. diam. bran N 40° W 7 lks. dist. of  
     a Do. 15 " " " S 52½° E 22 " "  
 60.07 a W. Oak 15 " "  
 80.00 Set post cor. to Sec. 24 of 25, T7 N. R4 E, from which  
     a Maple 18 in. diam. bran S 5° W 8 lks. dist. of  
     a W. Oak 48 " " " N 73° E 7 " "  
 Level flat land, timber Beech, Hickory, Maple  
 Soil rich

T<sup>7</sup>N. R<sup>5</sup>E, 2<sup>nd</sup>. Mer. Indiana

North On E. boundary of Sec. 24, T<sup>7</sup>N. R<sup>4</sup>E.

19.89 a Creek 40 lks. wide Course S. E.

25.07 a W. Oak 20 in. dia.

40.00 Set of Sec. post, from which

a Beech 9 in. dia. bray N 88° W 6 lks. dist. of

a Lr. 9 " " " S 42° E 30 " "

(at this post) a Creek 30 lks. wide C. S. E.

47.07 a W. Oak 18 in. dia.

80.00 Set post cor. to Sec. 13 of 24, T<sup>7</sup>N. R<sup>4</sup>E from which

a Logwood 6 in. dia. bray N 33° W 6 lks. dist. of

a W. Oak 13 " " " S 53° E 3 " "

Broken land, timber Beech, Oak &c. undug<sup>to</sup>  
Spice, birch &c. Soil good

North On E. boundary of Sec. 13, T<sup>7</sup>N. R<sup>4</sup>E.

39.35 a Branch 8 lks. wide Course S. E.

40.00 Set of Sec. post, from which

a Gum 18 in. dia. bray S 40° W 4 lks. dist. of

a Beech 8 " " " N 80° E 12 " "

45.02 a W. Oak 15 " "

77.40 a Beech 12 " "

80.00 Set post cor. to Sec. 12 of 13, T<sup>7</sup>N. R<sup>4</sup>E, from which

a Beech 10 in. dia. bray S 37° W 22 lks. dist. of

a Poplar 9 " " " N 47° E 22 " "

1<sup>st</sup> 1/2 mile broken - last 1/2 level, timber beech,  
Poplar, Oak &c. Soil good

North On E. boundary of Sec. 12, T<sup>7</sup>N. R<sup>4</sup>E.

15.26 a Poplar 20 in. dia.

40.00 Set of Sec. post, from which

a Beech 22 in. dia. bray N 12° W 33 lks. dist. of

a Hickory 18 " " " S 65° E 13 " "

50.90 a B. Oak 40 " "



T<sup>7</sup>N. R<sup>5</sup>E. T<sup>2</sup>. Mer. Indiana

80.00 Set post cor. to Sec. 1, 12, T<sup>7</sup>N. R<sup>4</sup>E, from which  
 a Beech 12 in. dia. bray S<sup>31</sup>W<sup>12</sup> lks. dist. of  
 a do. 14 " " " N<sup>32</sup>E<sup>23</sup> " "  
 Broken land timber Beech, Sugar, Poplar,  
 underg<sup>th</sup> Spruce. May 28<sup>th</sup> 1819

North On E. boundary of Sec. 1, T<sup>7</sup>N. R<sup>4</sup>E.

7.98 a Beech 14 in. dia.

10.54 a Creek 35 lks. wide Course S. W.

15.22 a do. 50 " " " N. E

40.00 Set of Sec. post, from which  
 a Beech 9 in. dia. bray S<sup>18</sup>E<sup>5</sup> lks. dist. of  
 a do 6 " " " West 15 " "

65.05 a do 15 " " "

70.40 a Creek 50 lks. wide Course E.

72.97 a do 50 " " " S. W.

74.63 a do 50 " " " N. E.

80.00 Set temp. Town Corner. established the  
 Corner to Township 7 of 8 N, Range 4 of 5 East  
 and took bearings, from which  
 an Oak 13 in. dia. bray N<sup>4</sup>W<sup>21</sup> lks. dist. of  
 a Hickory 10 " " " S<sup>10</sup>E<sup>6</sup> " "  
 (description of land &c. Omitted)  
 Surveyed in 1819 by John M. Donald, U.S.

## Subdivision.

var. 7<sup>th</sup> E.

North Between Sec. 35 & 36.

40.00 Set of Sec. post, from which  
 a Beech 10 in. dia. bray S<sup>26</sup>W<sup>5</sup> lks. dist. of  
 a do. 15 " " " N<sup>37</sup>E<sup>32</sup> " "

62.13 a Red Oak 30 " "

80.00 Set post cor. to Sec. 25, 26, 35 & 36, from which  
 a Beech 15 in. dia. bray S<sup>26</sup>W<sup>12</sup> lks. dist. of

T<sub>7</sub>N-195E, 2<sup>d</sup>. Mer. Indiana

a Beech 6 in. dia. bear North 21 lbs. dist  
 1<sup>1</sup>/<sub>2</sub> mile rolling - last 1/2 mile level 2<sup>d</sup>. rate land  
 timber Beech, Sugar, Oak, Maple &c. underg<sup>g</sup>. Spice.

---

East On Rand<sup>m</sup> between Sec<sup>s</sup>. 25 & 36

40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post

79.64 Intersected E. boundary 152 lbs. S. of post  
 Level 2<sup>d</sup>. rate land, Beech, Elm, Poplar, Sugar  
 &c. underg<sup>g</sup>. Spice, Greenbrier &c.

---

West Corrected between Sec<sup>s</sup>. 25 & 36

39.82 Set g<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 15 in. dia. bear S 82 E 25 lbs. dist. of  
 a Maple 18 " " " N 56 W 25 " "

79.64 to Sec. Corner

---

North Between Sec<sup>s</sup>. 25 & 26.

32.20 a Beech 18 in. dia.

40.00 Set g<sup>r</sup>. Sec. post, from which  
 a Beech 18 in. dia. bear N 2 E 26 lbs. dist. of  
 a do. 18 " " " N 56 E 26 " "

42.00 enter a Swamp

80.00 Set a post Cor. to Sec<sup>s</sup>. 23, 24, 25 & 26 in Swamp  
 no bearing trees  
 1<sup>1</sup>/<sub>2</sub> mile level Beech land, last 1/2 mile Swamp

---

East On Rand<sup>m</sup> between Sec<sup>s</sup>. 24 & 25

40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post

32.00 leave the Swamp

79.86 Intersected the E. boundary 100 lbs. S. of post  
 Over Swamp & wet land,

---

West Corrected between Sec<sup>s</sup>. 24 & 25

# Sy N 125 E 2<sup>d</sup>. Mer. Indiana

39.98 Set q. Sec. post at average dist. from which  
a Swamp Oak 18 in. dia. by N 12 E 15 lks. dist. of  
a do. 15 " " " S 36 E 21 " "  
79.86 to Sec. Corner.

## North Between Secs. 23 & 24

15.00 leave the Swamp  
36.10 a Sugar 18 in. dia.  
40.00 Set q. Sec. post, from which  
a Beech 16 in. dia. by N 26 E 3 lks. dist. of  
a W. Ash 20 " " " S 26 W 14 " "  
55.96 a Sugar 12 " "  
80.00 Set post Cor. to Secs. 13, 14, 23 & 24, from which  
a Beech 8 in. dia. by N 80 W 6 lks. dist. of  
a do. 20 " " " East 18 " "  
Land rolling 2<sup>d</sup> rate, Beech, Oak, Poplar,  
Sugar &c. undr<sup>g</sup>. Spruce & Dogwood

## East On Range between Secs. 13 & 24

40.00 Set temp. q. Sec. post  
79.80 Intersected the E. boundary 128 lks. S. of post  
1<sup>1</sup>/<sub>2</sub> mile rolling - last 1/2 mile Swampy, land  
3<sup>d</sup> rate Beech, Oak, Ash, (Maple &c. undr<sup>g</sup>. Small bush.

## West Corrected between Secs. 13 & 24

39.90 Set q. Sec. post at average dist. from which  
an Ash 18 in. dia. by S 28 W 5 lks. dist. of  
a Beech 10 " " " S 25 E 6 " "  
79.80 to Sec. Corner. Sept. 1<sup>st</sup> 1819

## North Between Secs. 13 & 14

33.12 a Beech 12 in. dia.  
40.00 Set q. Sec. post, from which



T<sup>n</sup> N. R5E, 2<sup>d</sup> Mer. Indiana

- a Sugar 8 m. dist. bran N33W8 lks, dist. of  
 a Beech 5 " " " N41E10 " "  
 53.28 a Gum 36 " "  
 80.00 Let a post cor. to Secs. 11, 12, 13 & 14, from which  
 a Beech 10 m. dist. bran N65E20 lks, dist. of  
 a Sugar 8 " " " N38W17 " "  
 Rolling 3<sup>rd</sup> rate land, Beech, Sugar, Poplar &c.  
 underg<sup>th</sup>. greenbrier &c.
- 

East On Rand<sup>m</sup>. between Secs. 12 & 13

40.00 Let temp<sup>y</sup>. of. Sec. post

80.66 Intersected the E. boundary 114 lks. S. of post  
 Level swampy ground Beech, Maple &c.

---

West Connected between Secs. 12 & 13

40.33 Let of. Sec. post at average dist. from which  
 a Hickory 6 m. dist. bran S50E14 lks, dist. of  
 a Hornbeam 4 " " " N78W10 " "

80.66 to Sec. Corner.

---

North Between Secs. 11 & 12

29.00 a Maple 12 m. dist.

40.00 Let of. Sec. post, from which

a Beech 20 m. dist. bran N78E14 lks, dist. of  
 a Hornbeam 4 " " " S22W15 " "

59.22 a W. Elm 15 " "

80.00 Let post cor. to Secs. 1, 2, 11 & 12, from which  
 a Beech 20 m. dist. bran S53E12 lks, dist. of  
 a Do. 32 " " " S55W6 " "  
 Level wet land, Beech, Maple, Birch, Oak  
 &c. underg<sup>th</sup>. Beech &c.

---

East On Rand<sup>m</sup>. between Secs. 1 & 12

T<sub>7</sub> N. R 5 E. 2<sup>nd</sup> Mer. IndianaCh. 1<sup>st</sup>.40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post80.66 Intersected the N & S. line or E. boundary 105  
lks. S. of post. Level 3<sup>rd</sup> rate land Beech,  
Poplar, Ash, Gum &c. undg<sup>th</sup> Beech, Spruce &c.West Corrected between Sec<sup>s</sup>. 1 & 1240.33 Set g<sup>r</sup>. Sec. post at average dist<sup>s</sup> from which  
a Beech 6 in. dia<sup>r</sup>. bray N 46° W 14 lks. dist. of  
a do. 6 " " " N 39° E 23 " "

80.66 to Sec. Corner.

North Between Sec<sup>s</sup>. 1 & 223.10 a Beech 10 in. dia<sup>r</sup>.40.00 Set g<sup>r</sup>. Sec. post, from which  
a Beech 8 in. dia<sup>r</sup>. bray N 50° W 16 lks. dist. of  
a do. 6 " " " N 73° E 7 " "

59.72 a Beech 8 " "

81.50 Intersected the N. boundary 3 lks. N. of post  
No post set.Land hilly 3<sup>rd</sup> rate Beech, Poplar, Oak &c.  
undg<sup>th</sup> Beech, Spruce &c.North Between Sec<sup>s</sup>. 34 & 3519.41 a Beech 18 in. dia<sup>r</sup>.40.00 Set g<sup>r</sup>. Sec. post, from which  
a W. Oak 8 in. dia<sup>r</sup>. bray N 86° W 16 lks. dist. of  
a W. Ash 12 " " " N 50° W 44 " "

64.50 a Beech 12 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 26, 27, 34 & 35, from which  
a W. Oak 30 in. dia<sup>r</sup>. bray N 80° E 18 lks. dist. of  
a Poplar 40 " " " N 25° W 26 " "  
Level 2<sup>nd</sup> rate land, Beech, Sugar, Oak, Gum  
&c. undg<sup>th</sup> Spruce &c.

T<sup>y</sup>. N. R5 E. 2<sup>d</sup>. Mer. Indiana

chr. Sta.

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 26 & 3540.00 Let temp<sup>y</sup>. gr. Sec. post80.28 Intersected the N & S. line 126 lks. S. of post  
Rolling 2<sup>d</sup>. rate land, Beech, Sugar, Oak, ash &c  
underg<sup>th</sup>. Spruce, Greenbrier, &c.West Connected between Sec<sup>s</sup>. 26 & 3540.14 Let gr. Sec. post at average dist. from which  
a Beech 18 in. diam. bray N 42° W 10 lks. dist. of  
a Dogwood 3 " " " S 79° W 21 " "80.28 to Sec. Corner. Sept. 2<sup>d</sup>. 1819North Between Sec<sup>s</sup>. 26 & 27

35.00 enter a Swamp

40.00 Let gr. Sec. post, from which  
a Willow 8 in. diam. bray N 78° E 11 lks. dist. of  
a Do. 7 " " " S 73° E 11 " "

76.00 leave the Swamp

80.00 At post Cor. to Sec<sup>s</sup>. 22, 23, 26 & 27, from which  
a Beech 10 in. diam. bray N 49° E 9 lks. dist. of  
a W. Oak 44 " " " S 75° W 19 " "  
Level wet land, Beech, Oak, Ash, Hickory,  
willow, underg<sup>th</sup>. willow & Spruce &c.East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 23 & 2640.00 Let temp<sup>y</sup>. gr. Sec. post

60.00 enter a Swamp

80.26 Intersected the N & S. line 130 lks. S. of post  
Land rolling 3<sup>d</sup>. rate Beech, Oak, Hickory &c.  
underg<sup>th</sup>. Dogwood, Spruce &c.West Connected between Sec<sup>s</sup>. 23 & 26

40.13 Let gr. Sec. post at average dist. from which



# Sy N R5 E. 2<sup>d</sup>. Mer. Indiana

ch. L<sup>th</sup>

a Beech 12 in. dia. bray N41 W11 lks. dist. of  
a Poplar 20 " " " N64 E20 " "

80.26 to Sec. Corner.

---

## North Between Sec. 22 & 23

31.00 a W. Ash 18 in. dia.

40.00 Set q. Sec. post, from which  
a Beech 6 in. dia. bray S22 E11 lks. dist. of  
a Do. 6 " " " N21 E17 " "

64.00 a Beech 20 " "

80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which  
a Beech 8 in. dia. bray S67 E16 lks. dist. of  
a Do. 15 " " " N45 W33 " "  
Level w<sup>th</sup> 3<sup>d</sup> rate land, Beech, Oak, Ash, Elm &c.

---

## East On Rand<sup>m</sup>. between Sec. 14 & 23

40.00 Set temp. q. Sec. post

80.20 Intersected the N & S. line 46 lks. S. of post  
Land level 3<sup>d</sup> rate timber Beech &c.

---

## West Corrected between Sec. 14 & 23

40.10 Set q. Sec. post at average dist, from which  
a Beech 18 in. dia. bray N40 E9 lks. dist. of  
a Do. 8 " " " S42 W21 " "

80.20 to Sec. Corner.

---

## North Between Sec. 14 & 15

22.82 a Poplar 36 in. dia.

40.00 Set q. Sec. post, from which  
a Beech 15 in. dia. bray S28 W18 lks. dist. of  
a Do. 5 " " " S84 W14 " "

58.10 a Beech 20 " "

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which

T<sup>y</sup>. N. R 5 E. 2<sup>d</sup>. Mer. Indiana

ch<sup>d</sup>. Lks.

a Beech 4 in. dia. bray S 14 W 24 lbs. dist. of  
a Poplar 4 " " " N 17 E 6 " "  
Land Rolling 2<sup>d</sup>. rate, Beech, Oak, Poplar &c.  
underg<sup>th</sup>. Spice &c.

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 11 & 14

40.00 Set of. Sec. post temporarily

80.40 Intersected the N & S. line 50 lbs. North of post  
Rolling Beech land 3<sup>d</sup>. rate

West Corrected between Sec<sup>s</sup>. 11 & 14.

40.20 Set of. Sec. post, at average dist. from which  
a Beech 10 in. dia. bray S 60 E 10 lbs. dist. of  
a No. 12 " " " N 26 W 15 " "

80.40 to Sec. Corner.

North Between Sec<sup>s</sup>. 10 & 11

30.76 a Sugar 15 in. dia.

40.00 Set of. Sec. post, from which

a W. Ash 18 in. dia. bray S 72 W 13 lbs. dist. of  
a Sugar 10 " " " N 12 W 21 " "

65.25 a Hickory 15 " "

80.00 Set post cor. to Sec<sup>s</sup>. 2, 3, 10 & 11, from which

a P. Oak 30 in. dia. bray S 20 E 16 lbs. dist. of  
a Hickory 12 " " " N 79 W 37 " "

Rolling 2<sup>d</sup>. rate land, Beech, Oak, Poplar  
Hickory, Sugar &c. underg<sup>th</sup>. Spice &c.

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 2 & 11

40.00 Set temp<sup>y</sup>. of. Sec. post

80.34 Intersected the N & S. line 114 lbs. N. of post  
Rolling 2<sup>d</sup>. rate land, Beech, Oak, Ash, Hickory  
Elm &c. underg<sup>th</sup>. Spice &c.

Ty. N. R5 E. 2<sup>d</sup>. Mer. Indiana

441

Ch. Lks.

West Connected between Secs. 2 & 11

40.17 Set of Sec. post at average dist. from which  
a W. Elm 15 in. dia. bears North 17 lks. dist. of  
a Beech 14 " " " N 12 W 15 " "

80.34 to Sec. Corner.

North Between Secs. 2 & 3

16.00 a Hickory 16 in. dia.

40.00 Set of Sec. post, from which  
a Beech 10 in. dia. bears N 55 W 8 lks. dist. &  
a Do. 6 " " " S 66 E 37 " "

71.14 a Gum 15 " "

82.00 Intersected the N. boundary at the post  
Rolling 3<sup>d</sup>. rate land Beech Oak Hickory &c.  
Undergrowth Dogwood & Spice. Sept. 3<sup>d</sup>. 1919

North Between Secs. 33 & 34

18.95 a Gum 20 in. dia.

40.00 Set of Sec. post, from which  
a Beech 10 in. dia. bears N 49 E 7 lks. dist. &  
a Sugar 6 " " " N 14 W 14 " "

57.00 a W. Oak 30 " "

80.00 Set a post Cor. to Secs. 27, 28, 33 & 34, from which  
a W. Oak 20 in. dia. bears S 34 W 8 lks. dist. &  
a Do. 18 " " " N 44 E 25 " "  
first 1/2 mile level last 1/2 mile hilly 3<sup>d</sup>. rate  
land Beech, Oak, Gum, Maple &c. undergw.  
Sassafras Green briars

East On Random Between Secs. 27 & 34

40.00 Set temp. of Sec. post

80.00 Intersected the N. & S. line 1.48 lks. South of post  
Rolling 3<sup>d</sup>. rate Land Beech Oak Ash Gum



T<sup>7</sup>N. R5E. 2<sup>d</sup>. Mer. Indiana

Ch. Lk.

Hickory Undergrowth Spice &amp; Green briars

West Corrected between Sec<sup>s</sup>. 27 & 34

40.00 Set g<sup>s</sup>. Sec. post at average dist. from which  
 a Hickory 10 in. dia. bears S 81 E 42 lvs. dist. 4  
 a No. 8 " " " S 52 E 43 " "

80.00 Section Corner

North Between Sec<sup>s</sup>. 27 & 28.

27.80 a Beech 18 in dia.

40.00 Set g<sup>s</sup>. Sec. post. from which  
 a W. Ash 14 in. dia. bears N 71 W 28 lvs. dist. 4  
 a W. Oak 20 " " " N 73 E 39 " "

49.50 a Poplar 18 " "

80.00 Set a post Cor. to Sec<sup>s</sup>. 21, 22, 27, & 28, from which  
 a W. Elm 8 in. dia. bears S 55 E 33 lvs. dist. 4  
 a Beech 8 " " " S 69 W 30 " "  
 Level 2<sup>nd</sup> rate land Beech Ash Poplar Oak Hick<sup>y</sup>.  
 Undergrowth Spice &c.

East On Prandom between Sec<sup>s</sup>. 22 & 27.40.00 Set temp<sup>y</sup>. g<sup>s</sup>. Sec. post

80.10 Intersected the N. & S. line 1.50 lvs. South of post  
 Over flat wet land Beech Maple Gum &c.

West Corrected between Sec<sup>s</sup>. 22 & 27.

40.05 Set g<sup>s</sup>. Sec. post. at average dist. from which  
 a Gum 10 in. dia. bears S 68 E 14 lvs. dist. 4  
 a No. 6 " " " N 74 W 28 " "

80.10 to Section Corner

North Between Sec<sup>s</sup>. 21 & 22.

12.20 a W. Oak 18 in dia.

T<sup>h</sup> N R5 E. 2<sup>d</sup>. Mer. Indianach<sup>d</sup>. lks.

- 40 . 00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 8 in. dia<sup>r</sup>. bears N 55 W 13 lks. dist. 4  
 a Maple 12 " " " N 63 E 13 " "
- 65 . 25 a Beech 24 " "
- 80 . 00 Set a post Cor. to Sec<sup>s</sup>. 15, 16, 21 & 22, from which  
 a Beech 30 in. dia<sup>r</sup>. bears N 45 E 7 lks. dist. 4  
 a No. 6 " " " S 36 W 8 " "  
 level wet land Beech Oak Maple Birch &c.
- September 4<sup>th</sup> 1819

East On R<sup>an</sup>dom between Sec<sup>s</sup>. 15 & 22.

- 40 . 00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post
- 79 . 80 Intersected the N. & S. line 158 lks. South of post  
 Level Swampy Land Beech Oak Maple Birch &c.

West Corrected Between Sec<sup>s</sup>. 15 & 22.

- 39 . 90 Set q<sup>r</sup>. Sec. post, at average dist. from which  
 a Beech 15 in. dia<sup>r</sup>. bears N 22 E 5 lks. dist. 4  
 a No. 16 " " " S 53 W 19 " "
- 79 . 80 to Section Corner

North Between Sec<sup>s</sup>. 15 & 16.

- 27 . 83 a W. Oak 30 in. dia<sup>r</sup>.
- 40 . 00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 8 in. dia<sup>r</sup>. bears S 36 W 14 lks. dist. 4  
 a No. 15 " " " N 26 E 19 " "
- 50 . 10 a Hickory 36 " "
- 80 . 00 Set post Cor. to Sec<sup>s</sup>. 9, 10, 15 & 16, from which  
 a W. Ash — in dia<sup>r</sup>. bears N 46 W 26 lks. dist. 4  
 a Beech 8 " " " S 35 W 26 " "  
 Level wet land Beech, Oak, Ash, Hickory, Gum, &c.  
 Undergrowth Spice &c.

444

N. 185 E. 2<sup>nd</sup> Mer. Indiana

ch<sup>d</sup>. 24

East On Random between Sec<sup>s</sup>. 10 & 15.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.75 Intersected the N. & S. line 1.12 lbs. South of post  
Level Beech land 3<sup>rd</sup> rate

West Corrected between Sec<sup>s</sup>. 10 & 15.

39.87 Set q<sup>r</sup>. Sec. post, at average dist. from which  
a Beech 10 in dia<sup>r</sup>. bears N 42 W 29 lbs. dist. &  
a No. 10 " " " S 10 E 4 " "

79.75 to Section Corner

North Between Sec<sup>s</sup>. 9 & 10.

24.08 a Beech 15 in dia<sup>r</sup>.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 16 in dia<sup>r</sup>. bears N 60 E 27 lbs. dist. &  
a No. 18 " " " N 81 E 17 " "

56.75 a Poplar 10 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 3, 4, 9 & 10, from which  
a Beech 15 in dia<sup>r</sup>. bears N 19 W 17 lbs. dist. &  
a No. 15 " " " S 20 W 27 " "  
Rolling 2<sup>nd</sup> rate land Beech, Oak, Poplar &c.  
Undergrowth Spice &c.

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 3 & 10

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.26 Intersected the N. & S. line 67 lbs. S. of post  
Rolling 2<sup>nd</sup> rate land, Beech, Oak, Poplar  
Ash, underg<sup>th</sup>. Spice &c.

West Corrected between Sec<sup>s</sup>. 3 & 10

39.63 a Beech 15 in dia<sup>r</sup>. Stand<sup>s</sup> for q<sup>r</sup>. Sec. cor.  
at average dist. on true line.

79.26 to Sec. Corner.

# Ly. N. R5 E. 2<sup>d</sup>, Mer. Indiana

ck. Ch

North Between Secs. 3 & 4

28.13 a W. Ash 20 in. dia.

40.00 Let q<sup>r</sup>. Sec. post, from which  
a Beech 30 in. dia. bray S 75° W 26 l<sup>h</sup>s. dist. of  
a do. 30 " " " N 75° E 22 " "

65.40 a do 18 " "

81.30 Intersected the N. boundary 96 l<sup>h</sup>s. E. of post  
Let a post cor. to Secs. 3 & 4, from which  
a Beech 18 in. dia. bray S 58° E 30 l<sup>h</sup>s. dist. of  
a Dogw<sup>d</sup>. 6 " " " N 10° E 5 " "  
Rolling 2<sup>d</sup>. rate land, Poplar, Beech, ash  
ye. undug<sup>th</sup>. Spruce &c. Sept. 5<sup>th</sup> 1819

---

North Between Secs. 32 & 33

20.12 a Beech 18 in. dia.

40.00 Let q<sup>r</sup>. Sec. post, from which  
a Poplar 50 in. dia. bray East Nink dist. of  
a W. Oak 10 " " " N 42° E 6 l<sup>h</sup>s. "

64.50 a R. Oak 24 " "

80.00 Let post cor. to Secs. 28, 29, 32 & 33, from which  
a Beech 10 in. dia. bray N 54° E 18 l<sup>h</sup>s. dist. of  
a do. 24 " " " N 50° W 30 " "  
1<sup>st</sup> 1/2 mile level - last 1/2 mile rolling 2<sup>d</sup>.  
rate land, Beech, Oak, Ash, Poplar &c.  
undug<sup>th</sup>. Spruce &c.

---

East On Rand<sup>m</sup>. between Secs. 28 & 33

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.14 Intersected the N & S. line 184 l<sup>h</sup>s. S. of post  
Rolling 2<sup>d</sup>. rate land, Beech, Oak, ash,  
Poplar &c. undug<sup>th</sup>. Spruce, birch &c.

---

West Corrected between Secs. 28 & 33.



# Ty N. R 5 E. 2<sup>d</sup>, Mer. Indiana

ch<sup>d</sup>. Lk<sub>y</sub>

40.07 Set q<sup>r</sup>. Sec. post average dist. from which  
a Beech 10 in. dia<sup>r</sup>. bears N 31° W 30 lks. dist. of  
a No. 12 " " " S 54° E 40 " "  
80.14 to Sec. Corner

## North Between Sec<sup>s</sup>. 28 & 29

26.50 a Beech 12 in. dia<sup>r</sup>

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 15 in. dia<sup>r</sup>. bears N 43° E 6 lks. dist. of  
a No. 15 " " " N 27° W 17 " "

66.90 a No 18 " "

80.00 Set a post cor. to Sec<sup>s</sup>. 20, 21, 28 & 29, from which  
(Mr. B. F. Morris has omitted the bearing trees)  
Rolling Beech land 3<sup>d</sup> rate

## East On Rand<sup>m</sup>, between Sec<sup>s</sup>. 21 & 28

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.04 Intersected the N & S. line 214 lks. S. of post  
1<sup>st</sup> 1/2 mile level 2<sup>d</sup> rate lost 1/2 mile rolling  
3<sup>d</sup> rate, Beech, Oak, Maple, Birch, Poplar  
underg<sup>d</sup>. Spruce, Greenbrier &c.

## West Corrected between Sec<sup>s</sup>. 21 & 28

40.03 Set q<sup>r</sup>. Sec. post, at average dist. from which  
a Maple 8 in. dia<sup>r</sup>. bears S 29° W 8 lks. dist. of  
a No. 6 " " " N 78° E 7 " "

80.04 to Section Corner

## North Between Sec<sup>s</sup>. 20 & 21.

26.83 a Beech 12 in. dia<sup>r</sup>.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 6 in. dia<sup>r</sup>. bears S 78° E 14 lks. dist. of  
a No. 5 " " " S 50° W 16 " "

Ty N. N 5 E. 2<sup>d</sup>. Mer. Indiana

447

ch<sup>d</sup>. Lk<sub>y</sub>

54.33 a Gum 18 in. dia.

80.00 Set post Cor. to Sec<sup>s</sup>. 16 17. 20 & 21. from which  
a Beech 15 in. dia. bears N 80 W 7 lbs. dist. &  
a No. 12 " " " S 89 E 7 " "  
Rolling 2<sup>d</sup>. rate land Beech Oak Poplar Hickory  
&c. Undergrowth Dogwood Spice &c.

---

East On Random between Sec<sup>s</sup>. 16 & 21.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.32 Intersected the N. & S. line 2.04 lbs. South of post  
Rolling 3<sup>d</sup>. rate land Beech, Oak, Ash, Poplar  
&c. Undergrowth Dogwood &c.

---

West Corrected between Sec<sup>s</sup>. 16 & 21.

40.16 Set q<sup>r</sup>. Sec. post, at average dist. from which  
a Poplar 6 in. dia. bears N 61 E 21 lbs. dist. &  
a Beech 12 " " " S 63 W 13 " "

80.32 to Section Corner

---

North Between Sec<sup>s</sup>. 16 & 17.

20.11 a Beech 15 in. dia.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 6 in. dia. bears S 44 E 4 lbs. dist. &  
a No. 5 " " " N 54 W 30 " "

57.80 a W. Oak 18 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 8, 9, 16 & 17, from which  
a Beech 15 in. dia. bears N 4 W. 6 lbs. dist. &  
a No. 15 " " " N 58 E 14 " "  
Rolling 2<sup>d</sup>. rate land Beech, Poplar, Oak, &c.  
Undergrowth Spice Dogwood &c.

---

East On Random between Sec<sup>s</sup>. 9 & 16,

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post.

T<sub>7</sub>N-R5E. 2.<sup>d</sup> Mer. IndianaCh<sup>d</sup>. L<sup>th</sup>

79. 26 Intersected the N. & S. line 2.05 l<sup>th</sup>. South of post  
level 3.<sup>d</sup> rate land Oak, Beech, Hickory &c.  
undergrowth Small Beech

---

West Corrected between Sec<sup>s</sup>. 9 & 16.

39. 63 Set q<sup>r</sup>. Sec. post. at average dist. from which  
a W. Ash 30 in. dia. bears N 73 E 23. l<sup>th</sup>. dist. 4  
a No. 18 " " " S 86 E 21 " "

79. 26 to Section Corner. September 6<sup>th</sup> 1819.

---

North Between Sec<sup>s</sup>. 8 & 9.

26. 30 a Beech 20 in. dia.

40. 00 Set q<sup>r</sup>. Sec. post. from which  
a Beech 6 in. dia. bears S 55 W 10 l<sup>th</sup>. dist. 4  
a No. 15 " " " S 39 E 25 " "

59. 00 a Beech 16 " "

80. 00 Set post Cor. to Sec<sup>s</sup>. 4, 5, 8 & 9. from which  
a W. Ash 20 in. dia. bears S 15 W 16 l<sup>th</sup>. dist. 4  
a Sycamore 30 " " " N 65 E 22 " "  
Level 2.<sup>d</sup> rate land Beech, Oak, Poplar Ash &c.  
undergrowth Spice.

---

East On Random between Sec<sup>s</sup>. 4 & 9.

40. 00 Set temp<sup>y</sup> q<sup>r</sup>. Sec. post

79. 56 Intersected the N. & S. line 2.06. l<sup>th</sup>. South of post  
Level Swampy land Beech, Ash, Oak, Maple &c.

---

West Corrected between Sec<sup>s</sup>. 4 & 9.

39. 78 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Swamp Ash 12 in. dia. bears N 32 W 16 l<sup>th</sup>. dist. 4  
a W. Elm 12 " " " S 63 E 13 " "

79. 56 to Section Corner

---

# T. N. R 5 E. 2<sup>n</sup>. Mer. Indiana

ch<sup>d</sup>. Lks

North Between Sec<sup>s</sup>. 4 & 5.

28. 35 a Beech 12 in. dia.

40. 00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 16 in. dia. bears North 10 lks. dist. &  
a No. 12 " " " S 50 E 5 " "

63. 40 a W. Ash 15 " "

81. 74 Intersected the N. boundary 1.75 lks. East. of post  
Set post Cor. to Sec<sup>s</sup>. 4 & 5, from which  
a Beech 15 in. dia. bears S 85 W 29 lks. dist. &  
a No. 16 " " " N 62 E 20 " "  
Rolling 3<sup>d</sup> rate Beech Land.

---

North Between Sec<sup>s</sup>. 31 & 32.

26. 00 a Poplar 24 in. dia.

40. 00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 20 in. dia. bears N 89 E 30 lks. dist. &  
a No. 24 " " " N 59 W 26 " "

54. 20 a Hickory 12 " "

80. 00 Set a post Cor. to Sec<sup>s</sup>. 29, 30, 31 & 32, from which  
a Beech 12 in. dia. bears S 80 W 19 lks. dist. &  
a Gum 15 " " " N 38 E 20 " "  
Level wet land 3<sup>d</sup> rate Beech Oak Gum Hickory &c.

---

East On Random between Sec<sup>s</sup>. 29 & 32.

40. 00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79. 88 Intersected the N. & S. line 1.40 lks. South of post.  
wet level land 3<sup>d</sup> rate Beech, Oak, Gum, Maple, &c.

---

West Corrected between Sec<sup>s</sup>. 29 & 32.

39. 94 Set q<sup>r</sup>. Sec. post. at average dist. from which  
a Gum 12 in. dia. bears S 10 W 13 lks. dist. &  
a W. Oak 10 " " " N 45 E 9 " "

79. 88 to Section Corner



T. N. R. S. E. 2<sup>nd</sup> Mer. IndianaCh<sup>d</sup>. Lk<sup>y</sup>West Between Sec<sup>s</sup>. 30 & 31.22. 24 a W. Oak 24 in. dia<sup>l</sup>.40. 00 Set q<sup>r</sup>. Sec. post, from whicha W. Elm 6 in. dia<sup>l</sup>. bears N 16 W 13 lb<sup>s</sup>. dist. 4

a Do. 4 " " " S 18 E 2 " "

70. 50 a W. Oak 15 " "

82. 25 Intersected the W. boundary 65 lb<sup>s</sup>. N. of post,Set post Cor. to Sec<sup>s</sup>. 30 & 31. from whicha W. Oak 30 in. dia<sup>l</sup>. bears N 50 E 53 lb<sup>s</sup>. dist. 4

a Do. 24 " " " S 31 W 20 " "

Land W. Oak land 3<sup>rd</sup> RateNorth Between Sec<sup>s</sup>. 29 & 30.18. 01 a Maple 18 in. dia<sup>l</sup>.40. 00 Set q<sup>r</sup>. Sec. post, from whicha Beech 12 in. dia<sup>l</sup>. bears North 14 lb<sup>s</sup>. dist. 4

a W. Elm 10 " " " South 12 " "

54. 80 a Beech 10 " "

80. 00 Set post Cor. to Sec<sup>s</sup>. 19, 20, 29 & 30, from whicha B. Walnut 15 in. dia<sup>l</sup>. bears N 50 E 17 lb<sup>s</sup>. dist. 4

a Beech 8 " " " North 3 " "

Land bel 3<sup>rd</sup> rate Beech, Oak, Elm, &c, undergrowth  
Hogwood Ironwood &c.East On Random between Sec<sup>s</sup>. 20 & 29.40. 00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post79. 85 Intersected the N. & S. line 1.14 lb<sup>s</sup>. South of postRolling 2<sup>nd</sup> rate Land Beech, Oak, Poplar, Gum,

Sugar, undergrowth Spice Dogwood &amp;c.

West Corrected between Sec<sup>s</sup>. 20 & 29.39. 92 Set q<sup>r</sup>. Sec. post at average dist. from whicha Beech 15 in. dia<sup>l</sup>. bears. N 2 W. 24 lb<sup>s</sup>. dist. 4

T<sup>7</sup>N. R<sup>5</sup>E. 2<sup>d</sup>. Mer. Indiana

Ch. Lk.

a Beech 7 in. dia. bears S 46 W 30 lks. dist.  
79.85 to Section Corner

West Between Sec<sup>s</sup>. 19 & 30

10.83 a B. Oak 30 in. dia.

40.00 Set of Sec. post, from which  
a Hickory 10 in. dia. bears S 63 E 12 lks. dist. &  
a No. 15 " " " N 76 W 19 " "

63.90 a W. Oak 30 " "

82.10 Intersected the West boundary 80 lks. N. of post  
Set post. Cor. to Sec<sup>s</sup>. 19 & 30, from which  
a Beech 6 in. dia. bears N 20 W 12 lks. dist. &  
a Hornbeam 5 " " " S 20 W 30 " "  
Level Swampy land Oak, Maple, Birch &c.  
undergrowth hornbeam.

North Between Sec<sup>s</sup>. 19 & 20.

31.64 a W. Oak 18 in. dia.

40.00 Set of Sec. post, from which  
a Beech 20 in. dia. bears N 31 E 33 lks. dist. &  
a No. 18 " " " S 33 W 28 " "

55.00 a Beech 12 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 17, 18, 19 & 20, from which  
a Beech 8 in. dia. bears N 11 W 23 lks. dist. &  
a No. 6 " " " N 20 E 19 " "  
Hilly 3<sup>d</sup>. rate land Beech W. Oak, &c. undergrowth  
Sassafras, Dogwood &c.

East On Random between Sec<sup>s</sup>. 17 & 20,40.00 Set temp<sup>y</sup>. of Sec. post

80.14 Intersected the N. & S. line 1.23 lks. South of post  
Hilly 3<sup>d</sup>. rate land Beech Oak, Poplar, und<sup>r</sup>. Dog? Spruce &c.

T. N. 185 E. 2<sup>nd</sup> Mer. IndianaCh<sup>o</sup>. Lk<sup>y</sup>.West Corrected between Sec<sup>s</sup>. 17 & 20.

40.07 Set q<sup>r</sup>. Sec. post. at average dist. from which  
 a W. Oak 30 in. dia<sup>r</sup>. bears East 16 lks. dist. &  
 a Beech 15 " " " N 26 W 13 " "

80.14 to Section Corner

West Between Sec<sup>s</sup>. 18 & 19.21.26 a Beech 10 in. dia<sup>r</sup>.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 8 in. dia<sup>r</sup>. bears N 54 E 6 lks. dist. &  
 a No. 10 " " " South 19 " "

52.64 a Beech 30 " "

92.28 Intersected the W. boundary 92 lks. N. of post  
 Set post Cor. to Sec<sup>s</sup>. 18 & 19. from which  
 a W. Oak 15 in. dia<sup>r</sup>. bears S 68 E 13 lks. dist. &  
 a No. 10 " " " S 4 E 8 " "  
 Hilly 3<sup>rd</sup> rate land Beech, Oak, &c. undergrowth  
 Sapafra &c.

North Between Sec<sup>s</sup>. 17 & 18.21.32 a Beech 12 in. dia<sup>r</sup>.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 12 in. dia<sup>r</sup>. bears S 70 E 20 lks. dist. &  
 a No. 18 " " " N 35 E 19 " "

60.54 a Hickory 15 " "

90.00 Set post Cor. to Sec<sup>s</sup>. 7, 8, 17 & 18, from which  
 a Beech 30 in. dia<sup>r</sup>. bears South 3 lks. dist. &  
 a No. 8 " " " S 57 W 9 " "  
 Hilly 3<sup>rd</sup> rate land Beech, Poplar, Oak Gum &c.  
 undergrowth Dog. Small Beech &c. Sept. 8<sup>th</sup> 1819.

East On Random between Sec<sup>s</sup>. 8 & 1740.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post.

T<sub>3</sub> N R5 E. 2<sup>d</sup>. Mer. IndianaCh<sup>d</sup>. Lk<sub>7</sub>

80.60 Intersected the N. & S. line 100 lks. South of post  
 Tolling 3<sup>d</sup>. rate land Beech Oak Hickory &c.  
 Undergrowth - dogwood.

---

West Corrected between Sec<sup>s</sup>. 8 & 17

40.30 Set q<sup>d</sup>. Sec. post at average dist. from which  
 a Hickory 30 in. dia<sup>r</sup>. bears N 62 E 15 lks. dist. &  
 a Beech 8 " " " S 5 E 18 " "

50.60 to Section Corner

West Between Sections. 7 &amp; 18.

18.80 a Beech 18 in. dia<sup>r</sup>.

40.00 Set q<sup>d</sup>. Sec. post, from which  
 a Beech 10 in. dia<sup>r</sup>. bears S 67 W 28 lks. dist. &  
 a No. 24 " " " N 22 E 24 " "

54.90 a W. Oak 40 " "

84.00 Intersected the West boundary 1.50 lks. N. of post  
 Set post Cor. to Sec<sup>s</sup>. 7 & 18, from which  
 a Beech 12 in. dia<sup>r</sup>. bears N 80 W 8 lks. dist. &  
 a Maple 15 " " " N 68 E 17 " "  
 Land Hilly 3<sup>d</sup>. rate Beech, Oak, Hickory Gum  
 Undergrowth Dogwood

---

North Between Sec<sup>s</sup>. 7 & 8.27.81 a Beech 20 in. dia<sup>r</sup>. l

40.00 Set q<sup>d</sup>. Sec. post, from which  
 a Beech 15 in. dia<sup>r</sup>. bears S 52 E 32 lks. dist. &  
 a No 20 " " " S 72 W 6 " "

64.72 a W. Oak 16 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 5, 6, 7, & 8, from which  
 a Beech 20 in. dia<sup>r</sup>. bears S 75 E 11 lks. dist. &  
 a No 8 " " " N 10 W 8 " "  
 Hilly 3<sup>d</sup>. rate land Beech Oak Poplar Ash undg<sup>d</sup>. Dog. Sassafras.



T<sup>y</sup> N. R5 E. 2<sup>d</sup>. Mer. Indianach<sup>d</sup>. Sh<sub>2</sub>

East On Random between Secs. 5, 4 &amp; 8.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post80.30 Intersected the N. & S. line 74 lks. South of post  
Hilly 3<sup>d</sup>. rate land Beech Oak Gum Poplar &c.

West Corrected between Secs. 5, 4 &amp; 8.

40.15 Set q<sup>r</sup>. Sec. post, from which  
a Poplar 40 in. dia<sup>r</sup>. bears N 60 W 22 lks. dist. &  
a Beech 4 " " " S 12 W 12 " "

80.30 to Section Corner

West Between Secs. 6 &amp; 7.

21.90 a W. Oak 16 in. dia<sup>r</sup>.40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 15 in. dia<sup>r</sup>. bears N 22 E 8 lks. dist. &  
a Gum 36 " " " N 45 W 22 " "

65.80 a Beech 12 " "

84.16 Intersected the West boundary 200 lks. N. of post  
Set post Cor. to Secs. 6 & 7. from which  
a Gum 18 in. dia<sup>r</sup>. bears N 65 E 15 lks. dist. &  
a Beech 15 " " " N 73 W 10 " "  
Land Hilly 3<sup>d</sup>. rate Beech Oak Poplar &c.  
undergrowth Dogwood Spice &c.

North Between Secs. 5 &amp; 6.

20.36 a Gum 15 in. dia<sup>r</sup>.40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 3 in. dia<sup>r</sup>. bears N 33 W 12 lks. dist. &  
a No 8 " " " S 58 E 28 " "49.96 a Beech 15 in. dia<sup>r</sup>.80.04 Intersected the North boundary 1.46 lks. East of post.  
Set post Cor. to Secs. 5 & 6. from which  
a W. Oak 15 in. dia<sup>r</sup>. bears N 12 W 18 lks. dist. &

N<sup>o</sup> 7 N - R 5 E. 2<sup>d</sup>. Mer. Indiana

455

a W. Oak 10 in. dia. bears S 12 E 8 lks. dist.

Hilly 3<sup>d</sup>. rate land Beech, Oak, Hickory, Gum

Undergrowth dogwood, Sept. 9<sup>th</sup> 1819.

Surveyed by Bethuel F. Morris, d. S.

---

I hereby certify that the foregoing transcript of field notes of Township N<sup>o</sup> 7 N, Range 5 E. 2<sup>d</sup>. Mer. Indiana, has been compared with the original notes in this office, and found to be correct.

Surveyor General's Office  
Cincinnati, March 16<sup>th</sup> 1842

W. S. Leavins  
Sur. Genl.